

**GEANT4**  
A SIMULATION TOOLKIT

Version 10.4-p02

# User Interface I

Makoto Asai (SLAC)  
Geant4 Tutorial Course



NATIONAL  
ACCELERATOR  
LABORATORY



U.S. DEPARTMENT OF  
**ENERGY**

Office of Science

# Contents

---

- Command syntax
- Macro file
- G4UIExecutive

- A UI command consists of
  - Command directory `/run/verbose 1`
  - Command `/vis/viewer/flush`
  - Parameter(s)
- A parameter can be a type of string, boolean, integer or double.
  - Space is a delimiter.
  - Use double-quotes (“”) for string with space(s).
- A parameter may be “omittable”. If it is the case, a default value will be taken if you omit the parameter.
  - Default value is either predefined default value or current value according to its definition.
  - If you want to use the default value for your first parameter while you want to set your second parameter, use “!” as a place holder.

```
/dir/command ! second
```

- Geant4 UI command can be issued by
  - (G)UI interactive command submission
  - Macro file
  - Hard-coded implementation
    - Slow but no need for the targeting class pointer
    - Should **not** be used inside an event loop

```
G4UImanager* UI = G4UImanager::GetUIpointer();  
UI->ApplyCommand("/run/verbose 1");
```

- The availability of individual command, the ranges of parameters, the available candidates on individual command parameter **may vary** according to the implementation of your application and may even **vary dynamically** during the execution of your job.
- some commands are available only for limited Geant4 **application state(s)**.
  - E.g. `/run/beamOn` is available only for *Idle* states.

- Command will be refused in case of
  - Wrong application state
  - Wrong type of parameter
  - Insufficient number of parameters
  - Parameter out of its range
    - For integer or double type parameter
  - Parameter out of its candidate list
    - For string type parameter
  - Command not found

- Macro file is an ASCII file contains UI commands.
- All commands must be given with their **full-path directories**.
- Use “#” for comment line.
  - First “#” to the end of the line will be ignored.
  - Comment lines will be echoed if `/control/verbose` is set to 2.
- Macro file can be executed
  - interactively or in (other) macro file

```
/control/execute file_name
```

- hard-coded

```
G4UImanager* UI = G4UImanager::GetUIpointer();  
UI->ApplyCommand("/control/execute file_name");
```

- You can get a list of available commands **including your custom ones** by
  - `/control/manual [directory]`
    - Plain text format to standard output
  - `/control/createHTML [directory]`
    - HTML file(s) - one file per one (sub-)directory
- List of built-in commands is also available in section 7.1 of *User's Guide For Application Developers*.

- Alias can be defined by
  - `/control/alias [name] [value]`
    - It is also set with `/control/loop` and `/control/foreach` commands
    - Aliased value is always treated as a string even if it contains numbers only.
- Alias is to be used with other UI command.
  - Use curly brackets, `{` and `}`.
  - For example, frequently used lengthy command can be shortened by aliasing.

```
/control/alias tv /tracking/verbose
```

```
{tv} 1
```

- Aliases can be used recursively.

```
/control/alias file1 /diskA/dirX/fileXX.dat
```


```
/control/alias file2 /diskB/dirY/fileYY.dat
```


```
/control/alias run 1
```

```
/myCmd/getFile {file{run}}
```



- `/control/loop` and `/control/foreach` commands execute a macro file more than once. Aliased variable name can be used inside the macro file.
- `/control/loop [macroFile] [counterName] [initialValue] [finalValue] [stepSize]`
  - `counterName` is aliased to the number as a loop counter
- `/control/foreach [macroFile] [counterName] [valueList]`
  - `counterName` is aliased to a value in `valueList`
  - `valueList` must be enclosed by double quotes (" ")
- on UI terminal or other macro file

```
/control/loop myRun.mac Ekin 10. 20. 2.
```
- in myRun.mac 

```
/control/foreach mySingleRun.mac pname "p pi- mu-"
```
- in mySingleRun.mac 

```
/gun/particle {pname}
/gun/energy {Ekin} GeV
/run/beamOn 100
```

- In your *main()*

```
int main(int argc, char** argv)
{
    ...
    if (argc != 1)
    { // batch mode
        G4String command = "/control/execute ";
        G4String fileName = argv[1];
        UImanager->ApplyCommand(command+fileName);
    }
    else
    { // interactive mode : define UI session
        G4UIExecutive* ui = new G4UIExecutive(argc, argv);
        ui->SessionStart();
        delete ui;
    }
}
```

# Terminal commands

- Interactive terminal supports some Unix-like commands for directory.
  - **cd**, **pwd** - change and display current command directory
    - By setting the current command directory, you may omit (part of) directory string.
  - **ls** - list available UI commands and sub-directories
- It also supports some other commands.
  - **history** - show previous commands
  - **!*historyID*** - re-issue previous command
  - **arrow keys and tab** (TC-shell only)
  - **?*UIcommand*** - show current parameter values of the command
  - **help** [*UIcommand*] - help
  - **exit** - job termination
- Above commands are interpreted in the interactive terminal and are not passed to Geant4 kernel. You **cannot** use them in a macro file.